






AMENDMENTS	
A	ORIGINAL ISSUE
DRN	VZ
EXP	BTH
DATE	23.2.09
JR No	-
TITLE BLOCK MODIFIED & MINOR CHANGES	
M.A.E.	W.I.
DRN	BTH
EXP	D.H.
DATE	12.4.2010
JR No	-
CHANGED SCREW LOCATION AND FRAME	
M.A.E.	J.P.

NOTES:

1. ALL STEEL PLATES TO CONFORM TO AS 3678 GRADE 250 U.O.N.
2. ALL STEEL BARS AND SECTIONS TO CONFORM TO AS 3679 GRADE 250 U.O.N.
3. ALL STEEL PIPES TO CONFORM TO AS 1163 GRADE 250 UNO.
4. ALL FILLET WELDS TO BE 6mm CONTINUOUS U.O.N. AND ARE TO CONFORM TO AS 1554, PART 1, CATEGORY G.P. U.O.N.
5. ALL SHARP EDGES AND BURRS TO BE REMOVED.
6. ALL STEEL TO BE FULLY HOT DIP GALVANIZED AFTER FABRICATION IN ACCORDANCE WITH AS 4680.



ORIGINAL SCALE	APPROVED BH
DRAWN PW	-
DATE 17.4.01	-
EXP PA	-

DO NOT SCALE DIMENSIONS IN MILLIMETRES
--



SINGLE MACARTHUR OUTREACHES
GENERAL DETAIL

REFERENCE DRAWINGS	
DO NOT SCALE DIMENSIONS IN MILLIMETRES	
AUTHORISED W. Isley	
MANAGER ASSET ENGINEERING 17.4.2001	
A4	262719 C
SHEET No 1 OF 1 SHEETS	